



LIEBHERR

PRE-SET BEKA INJECTOR CAPS

- Zero Machine Modification
- Anodised Aluminium
- Colour Coding Identification
- Patented Design Features
- Machine Kits Available
- Exact Amount of Grease
- Hex Head Design For Easy Installation



OUR INNOVATION. YOUR ADVANTAGE.



0427 214 127



support@xlrmechanical.com



xlrmechanical.com



Component Features



Anodised Cap
Replaces OEM
Plastic Cap



Lock Pin
Prevents Insert
From Unscrewing



OEM Measurements
For Identifying Sizes

Rubber Dust Cover
Prevents Dirt &
Water Entry


Grease Tell Tale Hole
For Easily Identifying
Bypassing Injector Seals



Nickel Coated High Tensile
Steel Insert Replaces OEM
Adjusting Screws



UV & Chemical
Resistant Rubber



O-Ring Seal Prevents
Contamination
Entering

Pre-Set Cap
Installed. Injector
Set To 4mm 5cc
Output



0427 214 127



support@xlrmechanical.com



xlrmechanical.com



Machine Plaques

Accessible Reference Plaques Permanently Mounted to the Machine

R9200 BACKHOE GREASE INJECTOR SETTINGS

MINERAL RESOURCES

Location	mm	Type	cc	Colour
8a - 8i	● 10	IVSS	2.9cc	
8m	10	IVSS	2.9cc	
9a - 9i	● 4	IVSS	5.0cc	
9m	8	IVSS	3.6cc	Orange
12a - 12i	● 10	IVSS	2.9cc	
12m	10	IVSS	2.9cc	
13m	15	IVSS	1cc	Green
14a - 14i	● 14	IVSS	1.4cc	
14m	10	IVSS	1.4cc	
17a	10	IVSS	2.9cc	
17i	10	IVSS	2.9cc	
17m	6	IVSS	4.3cc	Pink
18m	15	IVSS	1.0cc	Green
19m	12	IVSS	2.1cc	
20m	12	IVSS	2.1cc	
23m	12	IVSS	2.1cc	
24m	12	IVSS	2.1cc	
28a - 28i	● 10	IVSS	2.9cc	
28m	12	IVSS	2.1cc	
DK TOP linked	4	2x IVSS	10cc	Red

XLR MECHANICAL
For sales and support contact us:
support@xlrmechanical.com
www.xlrmechanical.com

Follow Service Information Procedure SIP005

Patent No: 2024216390



Eliminates time spent checking manuals

R9300 BACKHOE GREASE INJECTOR SETTINGS

THIESS

Location	mm	Type	cc	Colour
8a - 8i	● 10	IVSS	2.9cc	
8m	10	IVSS	2.9cc	
9a - 9i	● 14	2x IVSS	5.8cc	
9m	8	IVSS	3.6cc	Orange
12a - 12i	● 10	IVSS	2.9cc	
12m	10	IVSS	2.9cc	
13a - 13i	● 14	IVSS	1.4cc	Green
13m	10	IVSS	1.4cc	
14a - 14i	● 14	IVSS	1.4cc	
14m	14	IVSS	1.4cc	
17a	10	IVSS	2.9cc	
17m	6	IVSS	4.3cc	Pink
18a - 18i	● 14	IVSS	1.4cc	Green
18m	15	IVSS	1cc	Green
19a - 19i	● 4	1x IVSS	5cc	Red
19m	32	IVSS	2.1cc	
20a - 20i	● 10	IVSS	2.9cc	
23m	12	IVSS	2.1cc	
24a - 24i	● 10	IVSS	2.9cc	
28a - 28i	● 11	IVSS	2.5cc	
DK TOP linked	4	2 x IVSS	10cc	Red

XLR MECHANICAL
For sales and support contact us:
support@xlrmechanical.com
www.xlrmechanical.com

Follow Service Information Procedure SIP005

Patent No: 2024216390

OUR VALUED CUSTOMERS

LIEBHERR

Fortescue

BHP



0427 214 127



support@xlrmechanical.com



xlrmechanical.com

Sizes & Output Rates



COLOUR	OEM SETTING	OUTPUT RATE cc	PART NO.
RED	4mm	5cc	XLRREDBEK4
PINK	6mm	4.3cc	XLRPINBEK6
BROWN	8mm	3.6cc	XLRBROBEK8
BLUE	10mm	2.9cc	XLRBLUBEK10
GOLD	11mm	2.5cc	XLRGOLBEK11
PURPLE	12mm	2.1cc	XLRPURBEK12
BLACK	14mm	1.4cc	XLRBLABEK14
GREEN	15mm	1cc	XLRGREBEK15

Kits

OUR RANGE

- **R9200**
- **R9300**

ATTACHMENT KITS

- **BOOM**
- **STICK**
- **BUCKET**



0427 214 127



support@xlrmechanical.com



xlrmechanical.com