



## EXPANDA PLUG

- Eliminate Oil Spills
- Lightweight Design Features
- Suits Multiple Applications
- Protects Hose Sealing Surface
- High Impact Strength & Durability
- Lightweight Aluminium Bolt & Nut
- Designed For Heavy Equipment Repairs



**OUR INNOVATION. YOUR ADVANTAGE.**



**One Plug With Multiple Uses**



0427 214 127



[support@xlrmechanical.com](mailto:support@xlrmechanical.com)




[xlrmechanical.com](http://xlrmechanical.com)



## Component Features




3D Printed Top Plates



Optimal Plug Length to Clear Internal Taper

NBR Rubber. Resistant to Chemicals, Fuels, Oils




Stainless Steel Thrust Bearing Increasing Mechanical Efficiency

Ergonomically Designed Nut for Dual Purposes



NO PRESSURE Printed onto Top Plates for Clear Visibility



Plug Sizes Laser Engraved



0427 214 127



support@xlrmechanical.com




xlrmechanical.com




## Size Range

-32 Hose



47mm - 60mm

(eg) Liebherr/Cat  
Attachment Steel  
pipes/Return Hoses



37mm - 42mm

(eg) Liebherr/Cat  
Attachment High  
Pressure Hoses



34mm - 37mm

(eg) Liebherr/Cat  
Attachment Steel  
Pipes

-24 Hose



27mm - 32mm

(eg) Liebherr/Cat  
Attachment & Swing  
Hoses

-20 Hose



22mm - 27mm

(eg) Liebherr/Cat  
Swing Pumps & Motors  
Hoses

-16 Hose



17mm - 21mm

(eg) Liebherr/Cat  
Fan Pump & Motors  
Hoses

## Colours Available



## PLUG KITS



## OUR VALUED CUSTOMERS

**THIESS**

 Fortescue™

**BHP**



0427 214 127



[support@xlrmechanical.com](mailto:support@xlrmechanical.com)



[xlrmechanical.com](http://xlrmechanical.com)

